Safety Data Sheet

Wilson Bug-X Out Insecticide-Miticide with 50% Malathion



1. Identification			
Product identifier	Wilson Bug-X Out Insecticide-Miticide with 50% Malathion		
Product code	302810		
Registration number	9802		
Other means of identification	059-3757-4.		
Recommended use of the chemical and restrictions on use	Insecticide (Organophosphate).		
Manufacturer	Premier Tech Home & Garden Inc 1, avenue Premier Rivière-du-Loup (Quebec) G5R 6C1 CANADA Tel. (418) 863-7878 www.pthomeandgarden.com		
Emergency phone number	1-800-268-2806		

2. Hazard identification

Summary

This product is not regulated according to the Canadian Hazardous Products Act (HPA) and Hazardous Products Regulations (HPR) SOR/2015-17 (or WHMIS 2015). KEEP OUT OF REACH OF CHILDREN. Combustible liquid. Keep away from heat, sparks and open flame. Avoid contact with skin, eyes and clothing. Do not breathe vapors. Do not ingest. If medical advice is needed, have this SDS or label at hand. Wear eye protection, gloves and other protective clothing that are adapted to the task being performed and the risks involved.

WHMIS 2015/GHS/OSHA HCS 2012







Not Regulated under WHMIS 2015

Flammable liquids (Category 4)
Acute toxicity, oral (Category 4)
Serious eye damage/eye irritation
(Category 1)
Skin sensitizer (Category 1)
Carcinogenicity (Category 1B)
Aspiration hazard (Category 1)

DANGER

- H227: Combustible liquid
- H318: Causes serious eye damage
- H350: May cause cancer
- H304: May be fatal if swallowed and enters airways
- H302: Harmful if swallowed
- H317: May cause an allergic skin reaction
- P201: Obtain special instructions before use.
- P202: Do not handle until all safety precautions have been read and understood.
- P210: Keep away from heat, sparks, open flames and other ignition sources. No smoking.
- P261: Avoid breathing vapours, mist and spray.
- P264: Wash skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves, protective clothing and eye protection.

P308+313: IF exposed or concerned: Get medical attention.

P301+310+331: IF SWALLOWED: Immediately call a POISON CENTER or a physician. Do NOT induce vomiting.

P302+352: IF ON SKIN: Wash with plenty of water and soap.

P333+313: If skin irritation or a rash occurs: Get medical advice or attention.

P305+351+338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P310: Immediately call a physician.

P362+364: Take off contaminated clothing and wash before reuse.

P370+378: In case of fire: Use chemical foam, dry chemical or carbon dioxide to extinguish.

P403: Store in a well-ventilated place.

P405: Store locked up.

P501: Dispose of contents and container to a licensed chemical disposal agency in accordance with local, regional and national regulations.

3. Composition/information on ingredients			
Common name	CAS	Weight % content	
Malathion	121-75-5	30 - 60 %	
Solvent naphtha (petroleum), heavy aromatic (C9-C16)	64742-94-5	30 - 60 %	

Note: The manufacturer withholds the actual concentration range of the ingredient as a trade secret. Contains Surfactant 1 (complex mixture, 1-5%) that has the following hazard classes: Flammable liquids (Category 3), Acute toxicity, oral (Category 4), Skin corrosion/irritation (Category 2), Serious eye damage/eye irritation (Category 1), Carcinogenicity (Category 2), Specific target organ toxicity, single exposure (Category 3). Contains Surfactant 2 (complex mixture, 1-5%) that has the following hazard classes: Flammable liquids (Category 3), Acute toxicity, oral (Category 4), Acute toxicity, inhalation (Category 2), Skin corrosion/irritation (Category 2), Serious eye damage/eye irritation (Category 1), Carcinogenicity (Category 2

4. First-aid	d measures
Inhalation	Move person to fresh air. If breathing is difficult, give oxygen by trained personnel. If not breathing, give artificial respiration. If a problem develops or persists, seek medical attention.
Skin contact	Wash skin with warm water and mild soap. Remove contaminated clothing and wash before reuse. If a problem develops or persists, seek medical attention.
Eye contact	Flush with water for at least 15 minutes. Remove contact lenses if easy to do. Hold eyelids apart to rinse properly. If a problem develops or persists, seek medical attention.
Ingestion	DO NOT INDUCE VOMITING! If victim is conscious wash out mouth with plenty of water. Never give anything by mouth if victim is unconscious or convulsing. If spontaneous vomiting occurs, keep head below hip level to prevent aspiration into the lungs. Seek medical attention or contact a Poison Centre immediately.
Other	No information available.
Symptoms	May cause severe eye irritation or eye damage. May cause an allergic reaction of the skin. Aspiration hazard for the lungs (ingestion/vomiting). Can enter lungs and cause damage. Signs of lung involvement include increased respiratory rate, increased heart rate, and a bluish discolouration of the skin. Coughing, choking and gagging are often noted at the time of aspiration.
Notes to the physician	If gastric lavage is performed, suggest endotracheal and/or esophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. Fire-fighting	measures
Suitable extinguishing media	Dry chemicals, chemical foam, carbon dioxide (CO2). Do not use a heavy water jet.

1	Combustible liquid and vapours. In a fire or if heated, a pressure increase will occur and the container may burst.
	Firefighters must wear self contained breathing apparatus with full face mask. Firefighting suit may not be efficient against chemicals.
	Use water spray to cool fire-exposed containers. Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply.

6. Accidental re	6. Accidental release measures		
Personal precautions, protective equipment and emergency procedures	Do not touch spilled material. Make sure to wear personal protective equipment mentioned in this Safety Data Sheet.		
Environmental precautions	Prevent entry into sewers, closed areas and release to the environment. For a large spill, consult the Department of Environment or the relevant authorities.		
Methods and materials for containment and cleaning up	Remove sources of ignition. Ventilate the area well. Stop leak, if it's possible to do so without risk. Absorb with inert material (soil, sand, vermiculite) and place in an appropriate waste disposal clearly identified. Use non-sparking and antistatic tools. Dispose via a licensed waste disposal contractor.		

7. Handling and	storage
Precautions for safe handling	KEEP OUT OF REACH OF CHILDREN. Keep away from heat, sparks and open flame. Use non-sparking and antistatic tools. Use only in well ventilated area. Avoid contact with skin, eyes and clothing. Do not breathe vapours, mists or aerosols. Wear eye protection, gloves and other protective clothing that are adapted to the task being performed and the risks involved. Keep containers tightly closed when not in use. Do not eat, do not drink and do not smoke during use. Wash hands, forearms and face thoroughly after handling this compound and before eating, drinking or using toiletries. Remove contaminated clothing and wash before reuse.
Conditions for safe storage, including any incompatibilities	Storage and handling should follow the NFPA 30 Flammable and/or Combustible Liquids Code and the National Fire Code of Canada (NFCC). Store tightly closed and in properly labelled containers in a cool, dry and well ventilated place. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store away from oxidizing materials and incompatible materials (see section 10). Keep away from direct sunlight and heat.
Storage temperature	5 to 40°C (41 to 104°F)

8. Exposure controls/personal protection						
Immediately Dangerous to Life or Health	Malathion: 250 mg/m3					
Solvent naphtha (petrol C16)	eum), heavy aromatic (C9-	TWA (8h)		400 ppm	1600 mg/m ³	NIOSH
Malathion		TWA (8h)	Inhalable Fraction		1 mg/m ³	ACGIH , BC, ON
			Total Dust		10 mg/m ³	RSST (Pc)
Appropriate engineering Provide sufficient mechanical ventilation (general or local exhaust) to keep the airborne controls concentrations of vapours, mists, aerosols or dust below their respective occupational exposure limits.						
Individual protection measures						
Eye	Wear safety glasses with side shields. If there is a risk of contact with eyes, wear chemical splash goggles.					
Hands	Wear nitrile or neoprene gloves. Disposable nitrile gloves can also be used, but discard after single use.					

n is not required for normal use. Where the conditions in the workplace t is necessary to follow a respiratory protection program. Moreover, equipment (RPE) must be selected, fitted, maintained and inspected in lations and standard 29 CFR 1910.134 (OSHA), ANSI Z88.2 or CSA Zapproved by NIOSH/MSHA.
clean un a spill
olean up a epim

Nitrile gloves

9. Physical and	chemical properties		
Physical state	Liquid	Flammability	Combustible
Colour	Amber	Flammability limits	1 to 7%
Odour	Solvent	Flash point	65°C (149°F)
			Tagliabue closed cup
Odour threshold	N/Av.	Auto-ignition	510°C (950°F)
		temperature	
pH	N/Ap.	Sensibility to electrostatic charges	N.Av.
Melting point	-30°C (-22°F)	Sensibility to sparks and/or friction	N.Av.
Freezing point	-30°C (-22°F)	Vapour density	N/Av. (Air = 1)
Boiling point	177 to 210°C (350.6 to 410°F)	Relative density	N/Av. (Water = 1)
Solubility	Soluble in water.	Partition coefficient n-octanol/water	N/Av.
Evaporation rate	N/Av.	Decomposition temperature	100°C (212°F)
Vapour pressure	N/Av.	Viscosity	N/Av.
Percent Wt. Volatile	N/Av.	Molecular mass	N/Ap.
VOC (g/L)	N/Av.	% Volume Volatile (VOC)	N/Av.
VOC (lb/gal)	N/Av.	% Wt. Volatile (VOC)	N/Av.
N/Av.: No	t Available N/Ap.: Not Applicable	Und.: Undetermined	N/E: Not Established

10. Stability and reactivity		
Reactivity	No reaction expected.	
Chemical stability	Stable under recommended storage conditions.	
Possibility of hazardous reactions (including polymerizations)	A dangerous reaction will not occur.	
Conditions to avoid	Avoid heat, flame and sparks. Avoid contact with incompatible materials.	

	Strong oxidizing agents (e.g. chlorine, fluorine, nitric acid, perchloric acid, peroxides, nitrates, chlorates, chromates, permanganates and perchlorates).			
-	Under normal conditions of storage and use, hazardous decomposition products should not be produced.			

11. Toxicolo	ogical informati	tion							
Numerical	Malathion		Ingestion	646 mg/kg	Rat	LD50			
measures of toxicity				>5.2 mg/l/4h	Rat	LC50			
toxicity			Skin	_	Rabbit	: LD50			
	Solvent naphtha (pe	Solvent naphtha (petroleum), heavy aromatic (C9-C16) Ingestion 7050 mg/kg Rat LD50							
			Inhalation	>5.2 mg/l/4h	Rat	LC50			
			Skin	>2000 mg/kg	Rat	LD50			
Likely routes of exposure	Skin, eyes, inhalatio	n, ingestion.							
Delayed,	Eye contact	May cause severe eye irritation or	eye dama	ge.		-			
immediate and chronic effects	Skin contact	Prolonged and repeated contact m	ay cause s	skin dryness a	ınd irrita	ation.			
	Inhalation	Prolonged or excessive exposure redizziness, respiratory tract irritation		e headache, di	owsine	ess, nausea,			
	Ingestion	Harmful if swallowed. Ingestion can cause abdominal pain, nausea, cramps, headache, dizziness, drowsiness and vomiting. Harmful or fatal if inhaled into the lungs (ingestion/vomiting). Can enter lungs and cause damage. Signs of lung involvement include increased respiratory rate, increased heart rate, and a bluish discolouration of the skin. Coughing, choking and gagging are often noted at the time of aspiration.							
	Respiratory or skin sensitization	May cause an allergic reaction of the skin. Malathion (CAS no 121-75-5) may cause sensitization by skin contact. This product is not a respiratory sensitizer.							
	IARC/NTP Common name IARC NTP								
	Classification	Malathion 2A -							
		IARC : 1- Carcinogenic; 2A- Probably carcinogenic; 2B- Possibly carcinogenic. NTP : K- Known to be carcinogens; R- Reasonably anticipated to be carcinogens.							
	Carcinogenicity	Malathion (CAS no 121-75-5) is pre IARC, 2017). The risk of cancer de							
	Mutagenicity	Ingredients in this product present known to cause mutagenic effects.		reater than or	equal t	to 0.1% are not			
	Reproductive toxicity	Ingredients in this product present known to cause reproduction effec		reater than or	equal t	to 0.1% are not			
	Specific target organ toxicity - single exposure	organ toxicity -							
	organ toxicity -								
Interactive effects	No information availa	able for this product.							
Other information	Malathion (CAS No. 121-75-5) causes a weak inhibition of cholinesterases, enzymes which participate in the functioning of the central and peripheral nervous system. A dose between 500 and 1000 mg / kg is potentially fatal to humans. The oral acute toxicity estimate (ATE) of the mixture was calculated to b greater than 300 mg/Kg but lower than 2000 mg/kg. This value is classified according to GHS: Acute toxicity, oral (Category 4).								

12. Ecological information

Ecological toxicity	Fish - Bluegill (Lepomis macrochirus), fresh water	LC50	0.046 mg/L; 96 h (CAS no 121-75-5)				
CONICILY	Crustacea - Water Flea (Daphnia magna)	EC50	0.002 mg/L; 48 h (CAS no 121-75-5)				
	Algea, Pseudokirchneriella subcapitata	EC50	4.06 mg/L; 72 h (CAS no 121-75-5)				
	Bee	LD50	0.00020 mg/Bee-Abeille (CAS no 121-75-5)				
	Fish - Oncorhynchus mykiss - Rainbow trout	LC50	2.34 mg/L; 96 h (CAS no 64742-94-5)				
	Aquatic Invertebrate - Daphnia magna	EC50	0.95 mg/L; 48 h (CAS no 64742-94-5)				
Persistence	Contains an or many ingredients that may be persistent in aquatic environment.						
Degradability	Distillates (Petroleum), hydrotreated light (CAS no 64742-47-8) are readily biodegradable with a result of >60% in 14 days (OECD 301F).						
	The product is a mixture of which some ingredients have a low bioaccumulation potential (Log Kow of <3 and / or BCF <500) while other ingredients have some potential to bioaccumulate (Log Kow of >3 and / or BCF >500).						
Mobility in soil	The product is a mixture of which some ingredients evaporate very easily from the surface of the soil. Moreover, some ingredients have very high mobility in soil, while other ingredients have moderate to low mobility in soil.						
Other adverse effects	Toxic to birds and aquatic organisms. Highly toxic ozone layer.	to fish	and bees. This chemical does not deplete the				

13. Disposal considerations

Container



Important! Prevent waste generation. Use in full. DO NOT dispose residue in sewers, streams or drinking water supply. Residues and empty containers must be considered as hazardous waste. Dispose via a licensed waste disposal contractor. Observe all federal, state/provincial and municipal regulations. If necessary consult the Department of Environment or the relevant authorities.

14. Transport in	formation
UN Number	UN 3082
UN Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Malathion)
Environmental hazards	Contains marine pollutant.
Special precautions for user	Permit required for transportation with proper DANGER placards displayed on vehicle.
TDG - Transportation of I	Dangerous Goods (Canada & US DOT)
Transport hazard class(es)	Class 9
Packing group	
2020 Emergency Response Guidebook	<u>171</u>
IMO/IMDG - International	Maritime Transport
Classification	UN 3082. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Malathion) Class 9, PG III. Emergency schedules (EmS-No) F-A, S-F
IATA - International Air T	ransport Association

Classification	UN 3082. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Malathion) Class	١
	9, PG III.	١

These transportation classifications are provided as a customer service. As the shipper YOU remain responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. In addition, if a domestic exemption exists, it is the responsibility of the shipper to define the application of it.

15. Regulatory information

PEST CONTROL PRODUCT

There are Canada-specific environmental requirements for handling, use and disposal of this pest control product that are indicated on the product label.

RHazardous Products Regulations Information:

This product has been classified in accordance with the amended Hazardous Products Act (HPA) and the Hazard Criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

Hazardous Products Act Information:

Pest control products, as defined in subsection 2(1) of the Pest Control Products Act (PCPA), are excluded from the application of the Hazardous Products Act (that is, pest control products are exempt from the supplier labelling and SDS requirements of the Hazardous Products Act and Regulations). This product has been voluntarily classified according to the WHMIS 2015 standard.

Pest Control Products Act Registration Number: 9802

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act (PCPA). These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. Following is the hazard information required on the pest control products label:

PCPA Label Hazard Communications:

DANGER. POISON. READ THE LABEL AND CARTON BEFORE USING. KEEP OUT OF REACH OF CHILDREN.

Difference between SDS and pesticide label

PCPA	Label	WHMIS 2015/SGH SDS					
Symbol(s)		Pictogram(s)	Not Regulated under WHMIS 2015				
Caution word	Danger Poison	Signal Word	DANGER				
Hazard Statement	Not applicable.	Hazard Statement	H227: Combustible liquid H318: Causes serious eye damage H350: May cause cancer H304: May be fatal if swallowed and enters airways H302: Harmful if swallowed				

Ī		
Ш		H317: May cause an allergic skin reaction
Ш		11017. Way Gause all allergie skill reaction
Ш		
Ш		

CANADA

Common name	CAS	CEPA	DSL	NDSL	NPRI
Malathion	121-75-5		X		
Solvent naphtha (petroleum), heavy aromatic (C9-C16)	64742-94-5	X	Х		Х

- CEPA: List of Toxic Substances Managed Under Canadian Environmental Protection Act
- DSL: Domestic Substances List Inventory
- NDSL: Non-Domestic Substances List Inventory
- NPRI: National Pollutant Release Inventory Substances

UNITED STATE OF AMERICA


Common name	CAS	TSCA	CER CLA	EPCRA 313	EPCRA 302/304	CAA 112(b) HON	CAA 112(b) HAP	CAA 112(r)	CWA 311	CWA Prio.
Malathion	121-75- 5		Х	Х						
Solvent naphtha (petroleum), heavy aromatic (C9-C16)	64742- 94-5	х								

- TSCA: Toxic Substance Control Act
- CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act list of hazardous substances
- EPCRA 313: Emergency Planning and Community Right-to-Know Act, Section 313 Toxic Chemicals
- EPCRA 302/304: Emergency Planning and Community Right-to-Know Act, Section 302/304 Extremely Hazardous Substances
- CAA 112(b) HON: Clean Air Act Hazardous Organic National Emission Standard for Hazardous Air Pollutant
- CAA 112(b) HAP: Clean Air Act Hazardous Air Pollutants lists pollutants
- CAA 112(r): Clean Air Act Regulated Chemicals for Accidental Release Prevention
- CWA 311: Clean Water Act List of Hazardous Substances
- CWA Priority: Clean Water Act Priority Pollutant list

California Proposition 65

Common name	CAS	Cancer	Reproductive and Developmental Toxicity
Malathion	121-75-5	Х	

Other regulations



16. Other info	rmation
Date (YYYY-MM-DD)	Premier Tech Home & Garden Inc 2021-11-21
Version	01
Other information	REFERENCES: - Haz-Map, Information on Hazardous Chemicals and Occupational Diseases, https://haz-map.com/ - Service du répertoire toxicologique de la Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST), https://www.cnesst.gouv.qc.ca/fr - TOXNET Databases, Toxicology Data Network, NIH U.S. National Library of Medicine, http://toxnet.nlm.nih.gov/ - The National Center for Biotechnology Information, National Institutes of Health (NIH), U.S. National Library of Medicine, https://pubchem.ncbi.nlm.nih.gov - SAGE Pesticides, CRAAQ, Effets toxiques des matières actives, https://www.sagepesticides.qc.ca/Recherche/RechercheMatiere
	ACGIH: American Conference of Governmental Industrial Hygienists AIHA: American Industrial Hygiene Association HMIS: Hazardous Materials Identification System NFPA: National Fire Protection Association OSHA: Occupational Safety and Health Administration (USA) NIOSH: National Institute for Occupational Safety and Health NTP: National Toxicology Program RSST: Règlement sur la santé et la sécurité du travail (Québec) GHS: Globally Harmonized System IARC: International Agency for Research on Cancer IDLH: Immediately Dangerous to Life or Health STEL: Short Term Exposure Limit (15 min) TWA: Time Weighted Averages WHMIS: Workplace Hazardous Materials Information System
Powered by Revenus A global vision of prevention	To the best of our knowledge, the information contained herein is accurate. However, neither Preventis System, nor the above named supplier, nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.