Safety Data Sheet

Wilson Spider Out Spider Killer



1. Identification	
Product identifier	Wilson Spider Out Spider Killer
Product code	7316380
Registration number	31900
Other means of identification	059-3646-8.
Recommended use of the chemical and restrictions on use	Domestic pressurized contact insecticide spray. Not recommended for any other use not detailed on product data sheet or label.
Manufacturer	Premier Tech Home & Garden Inc 1, avenue Premier Rivière-du-Loup (Quebec) G5R 6C1 CANADA Tel. (418) 863-7878 www.pthomeandgarden.com
Emergency phone number	1-800-268-2806

2. Hazard identification

Summary

This product is not regulated according to the Canadian Hazardous Products Act (HPA) and Hazardous Products Regulations (HPR) SOR/2015-17 (or WHMIS 2015). KEEP OUT OF REACH OF CHILDREN. Flammable aerosol. Keep away from heat, sparks and open flame. Avoid contact with skin, eyes and clothing. Do not breathe vapours, mists or aerosols. Do not ingest. If medical advice is needed, have this SDS or label at hand. Wear eye protection, gloves and other protective clothing that are adapted to the task being performed and the risks involved.

WHMIS 2015/GHS/OSHA HCS 2012

Classification of the substance or mixture: GASES UNDER PRESSURE - Liquefied gas









Flammable aerosols (Category 1) Skin sensitizer (Category 1) Aspiration hazard (Category 1)

DANGER

- H222: Extremely flammable aerosol
- H229: Contains gas under pressure; may explode if heated
- H304: May be fatal if swallowed and enters airways
- H317: May cause an allergic skin reaction
- P210: Keep away from heat, sparks, open flames and other ignition sources. No smoking.
- P211: Do not spray on an open flame or other ignition source.
- P251: Do not pierce or burn, even after use.
- P261: Avoid breathing vapours and spray.
- P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves, protective clothing and eye protection.

P301+310+331: IF SWALLOWED: Immediately call a POISON CENTER or a physician. Do NOT induce vomiting.

P302+352: IF ON SKIN: Wash with plenty of water and soap.

P333+313: If skin irritation or a rash occurs: Get medical advice or attention.

P362+364: Take off contaminated clothing and wash before reuse.

P405: Store locked up.

P410+412: Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501: Dispose of contents and container to a licensed chemical disposal agency in accordance with local, regional and national regulations.

3. Composition/information on ingred		Mainlet 0/ content		
Common name	CAS	Weight % content		
sobutane	75-28-5	10 - 30 %		
Naphtha (petroleum), heavy alkylate	64741-65-7	5 - 10 %		
Propane	74-98-6	1 - 5 %		
Distillates (Petroleum), hydrotreated light	64742-47-8	1 - 5 %		
Permethrin 52645-53-1 0.25 %				
Rosemary Oil 84604-14-8 0.07%				

4. First-aid	4. First-aid measures				
Inhalation	Move person to fresh air. If breathing is difficult, give oxygen by trained personnel. If not breathing, give artificial respiration. If a problem develops or persists, seek medical attention.				
Skin contact	Wash skin with warm water and mild soap. Remove contaminated clothing and wash before reuse. If a problem develops or persists, seek medical attention.				
Eye contact	Flush with water for at least 15 minutes. Remove contact lenses if easy to do. Hold eyelids apart to rinse properly. If a problem develops or persists, seek medical attention.				
Ingestion	DO NOT induce vomiting, unless recommended by medical personnel. If victim is conscious wash out mouth with plenty of water. Never give anything by mouth if victim is unconscious or convulsing. If spontaneous vomiting occurs, keep head below hip level to prevent aspiration into the lungs. If ingestion of a large amount does occur, seek medical attention or contact a Poison Centre immediately.				
Other	No additional information.				
Symptoms	Direct contact with eyes may cause temporary irritation. May cause an allergic reaction of the skin. Harmful or fatal if inhaled into the lungs (ingestion/vomiting). Signs of lung involvement include increased respiratory rate, increased heart rate, and a bluish discolouration of the skin. Coughing, choking and gagging are often noted at the time of aspiration.				
Notes to the physician	Aspiration hazard for the lungs (ingestion/vomiting). Can enter lungs and cause damage. If gastric lavage is performed, suggest endotracheal and/or esophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.				

5. Fire-fighting measures					
	Dried powder, water fog, water spray, chemical foam, carbon dioxide (CO2), ABC fire extinguishing. Do not use a heavy water jet.				
1	Flammable aerosol. May ignite on contact with an ignition source. Content under pressure, containers may explode if heated.				
	Firefighters must wear self contained breathing apparatus with full face mask. Firefighting suit may not be efficient against chemicals.				
Special protective actions for fire-fighters	Use water spray to cool fire-exposed containers.				

6. Accidental re	6. Accidental release measures					
Personal precautions, protective equipment and emergency procedures	Do not touch spilled material. Make sure to wear personal protective equipment mentioned in this Safety Data Sheet.					
Environmental precautions	Prevent entry into sewers, closed areas and release to the environment. For a large spill, consult the Department of Environment or the relevant authorities.					
Methods and materials for containment and cleaning up	Ventilate the area well. Eliminate all ignition sources. Absorb with inert material (soil, sand, vermiculite) or wipe with a cloth and place in an appropriate waste disposal container clearly identified. Finish cleaning the contaminated surface by rinsing with soapy water. Dispose via a licensed waste disposal contractor.					

7. Handling and	7. Handling and storage				
	KEEP OUT OF REACH OF CHILDREN. DO NOT SPRAY ANIMALS WITH THIS PRODUCT. Content under pressure, do not puncture, cut, heat or throw container into the flames. Keep away from heat, sparks and open flame. Do not spray into open flame or hot surface. Avoid temperatures over 50 °C. Use in well ventilated area. Do not breathe vapours, mists or aerosols. Avoid contact with skin, eyes and clothing. Wear eye protection, gloves and other protective clothing that are adapted to the task being performed and the risks involved. Do not eat, do not drink and do not smoke during use. Wash hands, forearms and face thoroughly after handling this compound and before eating, drinking or using toiletries. Remove contaminated clothing and wash before reuse.				
Conditions for safe storage, including any incompatibilities	Store tightly closed and in properly labelled containers in a cool, dry and well ventilated place. Store away from oxidizing materials and incompatible materials (see section 10). Keep away from food and drink. Keep away from direct sunlight and heat. Keep away from freezing.				
Storage temperature	5 to 35°C (41 to 95°F)				

8. Exposure controls/personal protection						
Immediately Dangerous to Life or Health	Isobutane: 1800 ppr Propane: 2100 ppm.					
Isobutane		Ceiling		1000 ppm		ACGIH
		TWA (8h)		800 ppm		ON
Naphtha (petroleum), h	eavy alkylate	TWA (8h)		100 ppm		ACGIH, ON
Distillates (Petroleum),	hydrotreated light	TWA (8h)			200 mg/m ³	ACGIH, BC, ON
Propane			Simple asphyxiant			ACGIH, BC, ON
	1000 ppm 1800 mg/m³ RSST					
Appropriate engineering controls	Provide sufficient mechanical ventilation (general or local exhaust) to keep the airborne concentrations of vapours, mists, aerosols or dust below their respective occupational exposure limits.					
Individual protection measures						
Eye	In the workplace, wear safety glasses with side shields. If risk of contact with eyes, wear one-piece protective eyewear.					
Hands	Wear Nitrile gloves. Disposable nitrile gloves can also be used, but discard after single use.					
Skin	Personal protective equipment for the body should be selected based on the task being performed and the risks involved. Wear work clothing as required by employer code.					
Respiratory	Respiratory protection is not required for normal use. Where the conditions in the workplace require a respirator, it is necessary to follow a respiratory protection program. Moreover, respiratory protection equipment (RPE) must be selected, fitted, maintained and inspected in					

	accordance with regulations and standard 29 CFR 1910.134 (OSHA), ANSI Z88.2 or CSA Z 94.11 (Canada) and approved by NIOSH/MSHA.		
Feet	No personal protection measure required.		
	No personal protection measure required.		





Safety glasses

Nitrile disposable gloves

9. Physical and chemical properties					
Physical state	Aerosol (liquid)	Flammability	Flammable.		
Colour	N.Av.	Flammability limits	1.8 to 9.5%		
Odour	N.Av.	Flash point	-104°C (-155.2°F) (estimated)		
Odour threshold	N/Av.	Auto-ignition temperature	N/Av.		
рН	N/Av.	Sensibility to electrostatic charges	N.Av.		
Melting point	N/Av.	Sensibility to sparks and/or friction	N.Av.		
Freezing point	N/Av.	Vapour density	N/Av. (Air = 1)		
Boiling point	57°C (134.6°F)	Relative density	N/Av. (Water = 1)		
Solubility	N.Av.	Partition coefficient n-octanol/water	N/Av.		
Evaporation rate	N/Av.	Decomposition temperature	N/Av.		
Vapour pressure	344.7 to 413.6 kPa (2585.3 to 3102 mm Hg) @ 20°C (68°F)	Viscosity	N/Av.		
Percent Wt. Volatile	N/Av.	Molecular mass	N/Ap.		
VOC (g/L)	N/Av.	% Volume Volatile (VOC)	N/Av.		
VOC (lb/gal)	N/Av.	% Wt. Volatile (VOC)	N/Av.		
N/Av.: No	t Available N/Ap.: Not Applicable	Und.: Undetermined	N/E: Not Established		

10. Stability and reactivit	y .
Reactivity	No reactivity expected.
Chemical stability	Stable under recommended storage conditions. Aerosol containers are unstable at temperatures above 49 °C.
Possibility of hazardous reactions (including polymerizations)	A dangerous reaction will not occur.
Conditions to avoid	Avoid heat, flame and sparks. Avoid temperatures over 49 °C. Avoid contact with incompatible materials.
Incompatible materials	Strong oxidizing agents (e.g. chlorine, fluorine, nitric acid, perchloric acid, peroxides, nitrates, chlorates, chromates, permanganates and perchlorates).
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Mutagenicity Mutagenicity Reproductive toxicity Specific target organ toxicity - Specific target organ toxicity - Nutagenicity Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause mutagenic effects. Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause reproduction effects. No target organ is listed. No target organ is listed.	11 Toxicolo	aioal informat	tion				
measures of toxicity Naphtha (petroleum), heavy alkylate Ingestion >5000 mg/kg Rat LC50			1011				
toxicity Naphtha (petroleum), heavy alkylate Ingestion >50.00 mg/kg Rat LC50		Isobutane					
Inhalation > 9.3 mg/l/4h Rat LC50 Skin >5000 mg/kg Rabbit LD50							
Distillates (Petroleum), hydrotreated light Ingestion >5000 mg/kg Rabbit LD50		Naphtha (petroleum), heavy alkylate	_			
Distillates (Petroleum), hydrotreated light Ingestion >5000 mg/kg Rat LD50 Inhalation >10.2 mg/l/4h Rat LC50 Skin 3160 mg/kg Rabbit LD50 Propane							
Inhalation >10.2 mg/l/4h Rat LC50				0 0			
Propane Inhalation 240000 ppm/4h Rat LC50		Distillates (Petroleur					
Propane Inhalation 240000 pm/4h Rat LC50 Permethrin Ingestion 806 mg/kg Rat LD50 Inhalation 2.3 mg/l/4h Rat LC50 0.485 mg/l/4h Rat LC50 0.485 mg/l/4h Rat LC50 Skin >2000 mg/kg Rabbit LD50 Skin, eyes, inhalation.					_		
Permethrin Ingestion 806 mg/kg Rat LD50 Inhalation 2.3 mg/l/4h Rat LC50 0.485 mg/ll/4h Rat LC50 Skin >2000 mg/kg Rabbit LD50 Skin, eyes, inhalation.							
Likely routes of exposure						Rat	LC50
Likely routes of exposure Delayed, immediate and chronic effects Eye contact Skin contact Inhalation No negative effects expected. Harmful or fatal if inhaled into the lungs (ingestion/vomiting). May cause serious damage to lung tissue and respiratory tract. Signs of lung involvement include increased respiratory rate, increased heart rate, and a bluish discolouration of the skin. Coughing, choking and gagging are often noted at the time of aspiration. Respiratory or skin sensitization Respiratory or skin sensitizer in animals and humans. It can cause dermatitis which may be allergic in nature. Persons with pre-existing skin disorders may be more susceptible to the effects of this agent. This product is not a respiratory sensitizer. IARC/NTP Classification Carcinogenicity Ingredients present at levels greater than or equal to 0.1% of this product are not known to cause mutagenic effects. Reproductive toxicity single exposure Specific target organ toxicity - single exposure Specific target organ toxicity - single exposure Skin contact Direct contact with eyes may cause temporary irritation. Skin contact Prolonged skin contact may cause temporary irritation. No negative greater than (lungs (ingestion/vomiting). May cause serious damage to lung lissed and prespiratory tract. Signs of lung involvement include increased respiratory tract. Signs of lung involvement include increased emporary irritation. May cause an allergic reaction of the skin. Permethrin (CAS no 52645-53-1) is a possible skin sensitizer in animals and humans. It can cause dermatitis which may be allergic in nature. Persons with pre-existing skin disorders may be more sucception in animals and humans. It can cause dermatitis in the spiratory tract. Signs of lung involvement include		Permethrin					
Likely routes of exposure Delayed, immediate and chronic effects Eye contact Skin contact Prolonged skin contact may cause temporary irritation. No negative effects expected. Inhalation No negative effects expected. Inhalation Respiratory or skin sensitization Respiratory or skin sensitization Respiratory or skin sensitization Respiratory or skin sensitizer in animals and humans. It can cause dermatitis which may be allergic in nature. Persons with pre-existing skin disorders may be more susceptible to the effects of this agent. This product is not a respiratory sensitizer. IARC/NTP Classification Carcinogenicity Ingredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA. Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause mutagenic effects. Reproductive toxicity Specific target organ toxicity - single exposure Specific target organ is listed. No target organ is listed. No target organ is listed.				Inhalation	2.3 mg/l/4h	Rat	LC50
Likely routes of exposure Delayed, immediate and chronic effects Eye contact Skin contact Skin contact Prolonged skin contact may cause temporary irritation. Prolonged skin contact may cause temporary irritation. Inhalation No negative effects expected. Harmful or fatal if inhaled into the lungs (ingestion/vomiting). May cause serious damage to lung tissue and respiratory tract. Signs of lung involvement include increased respiratory rate, increased heart rate, and a bluish discolouration of the skin. Coughing, choking and gagging are often noted at the time of aspiration. May cause an allergic reaction of the skin. Permethrin (CAS no 52645-53-1) is a possible skin sensitizer in animals and humans. It can cause dermatitis which may be allergic in nature. Persons with pre-existing skin disorders may be more susceptible to the effects of this agent. This product is not a respiratory sensitizer. No ingredients listed. Ingredients listed. Ingredients in this product present at levels greater than or equal to 0.1% of this product are not known to cause mutagenic effects. Reproductive toxicity Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause reproduction effects. No target organ is listed. No							
Delayed, immediate and chronic effects Eye contact Skin contact Prolonged skin contact may cause temporary irritation.				Skin	>2000 mg/kg	Rabbit	LD50
Skin contact Inhalation No negative effects expected. Ingestion Harmful or fatal if inhaled into the lungs (ingestion/vomiting). May cause serious damage to lung tissue and respiratory tract. Signs of lung involvement include increased respiratory rate, increased heart rate, and a bluish discolouration of the skin. Coughing, choking and gagging are often noted at the time of aspiration. Respiratory or skin sensitization May cause an allergic reaction of the skin. Permethrin (CAS no 52645-53-1) is a possible skin sensitizer in animals and humans. It can cause dermatitis which may be allergic in nature. Persons with pre-existing skin disorders may be more susceptible to the effects of this agent. This product is not a respiratory sensitizer. IARC/NTP Classification Carcinogenicity Ingredients listed. Mutagenicity Ingredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA. Mutagenicity Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause mutagenic effects. Reproductive toxicity Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause mutagenic effects. No target organ is listed. No target organ is listed. No target organ is listed.	exposure	Skin, eyes, inhalation	٦.				
chronic effects Skin contact Inhalation No negative effects expected.		Eye contact	Direct contact with e	yes may c	ause temporary	rritatior	١.
Harmful or fatal if inhaled into the lungs (ingestion/vomiting). May cause serious damage to lung tissue and respiratory tract. Signs of lung involvement include increased respiratory rate, increased heart rate, and a bluish discolouration of the skin. Coughing, choking and gagging are often noted at the time of aspiration. Respiratory or skin sensitization May cause an allergic reaction of the skin. Permethrin (CAS no 52645-53-1) is a possible skin sensitizer in animals and humans. It can cause dermatitis which may be allergic in nature. Persons with pre-existing skin disorders may be more susceptible to the effects of this agent. This product is not a respiratory sensitizer. IARC/NTP Classification Carcinogenicity Ingredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA. Mutagenicity Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause mutagenic effects. Reproductive toxicity Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause reproduction effects. No target organ is listed. No target organ is listed.	l e	Skin contact	Prolonged skin conta	act may ca	use temporary ir	ritation.	
damage to lung tissue and respiratory tract. Signs of lung involvement include increased respiratory rate, increased heart rate, and a bluish discolouration of the skin. Coughing, choking and gagging are often noted at the time of aspiration. Respiratory or skin sensitization May cause an allergic reaction of the skin. Permethrin (CAS no 52645-53-1) is a possible skin sensitizer in animals and humans. It can cause dermatitis which may be allergic in nature. Persons with pre-existing skin disorders may be more susceptible to the effects of this agent. This product is not a respiratory sensitizer. No ingredients listed. Carcinogenicity Ingredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA. Mutagenicity Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause mutagenic effects. Reproductive toxicity Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause reproduction effects. No target organ is listed. No target organ is listed.		Inhalation	No negative effects	expected.			
increased respiratory rate, increased heart rate, and a bluish discolouration of the skin. Coughing, choking and gagging are often noted at the time of aspiration. Respiratory or skin sensitization May cause an allergic reaction of the skin. Permethrin (CAS no 52645-53-1) is a possible skin sensitizer in animals and humans. It can cause dermatitis which may be allergic in nature. Persons with pre-existing skin disorders may be more susceptible to the effects of this agent. This product is not a respiratory sensitizer. IARC/NTP Classification Carcinogenicity Ingredients listed. Mutagenicity Ingredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA. Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause mutagenic effects. Reproductive toxicity Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause reproduction effects. No target organ is listed. No target organ is listed.		Ingestion	Harmful or fatal if inhaled into the lungs (ingestion/vomiting). May cause serious damage to lung tissue and respiratory tract. Signs of lung involvement include				
skin. Coughing, choking and gagging are often noted at the time of aspiration. May cause an allergic reaction of the skin. Permethrin (CAS no 52645-53-1) is a possible skin sensitizer in animals and humans. It can cause dermatitis which may be allergic in nature. Persons with pre-existing skin disorders may be more susceptible to the effects of this agent. This product is not a respiratory sensitizer. IARC/NTP Classification Carcinogenicity Ingredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA. Mutagenicity Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause mutagenic effects. Reproductive toxicity Specific target organ is listed. No target organ is listed. No target organ is listed.							
Respiratory or skin sensitization May cause an allergic reaction of the skin. Permethrin (CAS no 52645-53-1) is a possible skin sensitizer in animals and humans. It can cause dermatitis which may be allergic in nature. Persons with pre-existing skin disorders may be more susceptible to the effects of this agent. This product is not a respiratory sensitizer. IARC/NTP Classification Carcinogenicity Ingredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA. Mutagenicity Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause mutagenic effects. Reproductive toxicity Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause reproduction effects. No target organ is listed. No target organ is listed.							
possible skin sensitizer in animals and humans. It can cause dermatitis which may be allergic in nature. Persons with pre-existing skin disorders may be more susceptible to the effects of this agent. This product is not a respiratory sensitizer. IARC/NTP Classification Carcinogenicity Ingredients listed. Mutagenicity Ingredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA. Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause mutagenic effects. Reproductive toxicity Specific target organ toxicity - single exposure Specific target organ toxicity -		Respiratory or skin		-			·
susceptible to the effects of this agent. This product is not a respiratory sensitizer. IARC/NTP Classification Carcinogenicity Ingredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA. Mutagenicity Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause mutagenic effects. Reproductive toxicity Specific target organ toxicity - single exposure Specific target organ is listed. No target organ is listed.							
sensitizer. IARC/NTP Classification Carcinogenicity Ingredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA. Mutagenicity Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause mutagenic effects. Reproductive toxicity Specific target organ toxicity - single exposure Specific target organ is listed. No target organ is listed.							
IARC/NTP Classification Carcinogenicity Ingredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA. Mutagenicity Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause mutagenic effects. Reproductive Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause reproduction effects. Specific target organ toxicity - single exposure Specific target organ is listed. No target organ is listed.				fects of thi	s agent. This pro	duct is	not a respiratory
Classification Carcinogenicity Ingredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA. Mutagenicity Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause mutagenic effects. Reproductive Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause reproduction effects. Specific target organ is listed. No target organ is listed. No target organ is listed.		IADC/NTD					
Ilisted as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA. Mutagenicity Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause mutagenic effects. Reproductive Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause reproduction effects. Specific target organ is listed. Specific target organ is listed. No target organ is listed. No target organ is listed.			No ingredients listed	•			
known to cause mutagenic effects. Reproductive Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause reproduction effects. Specific target organ is listed. Specific target organ is listed. Specific target organ is listed. No target organ is listed. No target organ is listed.		Carcinogenicity	Ingredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA.				
toxicity known to cause reproduction effects. Specific target No target organ is listed. organ toxicity - single exposure Specific target No target organ is listed. organ toxicity -		Mutagenicity	Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause reproduction effects.				
organ toxicity - single exposure Specific target No target organ is listed. organ toxicity -		_					
Specific target No target organ is listed. organ toxicity -		organ toxicity -					
organ toxicity -							
repeated exposure			No larget organ is its	steu.			
Interactive effects No information available.	Interactive effects	No information availa	able.				
Other information The oral and skin acute toxicity estimates (ATE) of the mixture were calculated to be greater than 2000	Other information						
mg/kg. The acute toxicity estimates (ATE) by inhalation of the mixture were calculated to be greater		mg/kg. The acute toxicity estimates (ATE) by inhalation of the mixture were calculated to be greater than 20 mg/L/4h for vapours and to be greater than 5 mg/L/4h for the aerosols and mists. These values					

12. Ecological information

Ecological toxicity	Fish - Pimephales promelas [flow-through]	LC50 13400 mg/L; 96 h (CAS no 64-17-5)				
toxicity	Aquatic Invertebrate - Daphnia magna	EC50 9268 mg/L; 48 h (CAS no 64-17-5)				
	Aquatic Plant - Algea, Chlorella vulgaris	EC50 275 mg/L; 72 h (CAS no 64-17-5)				
	Fish - Rainbow trout - Oncorhynchus mykiss	LC50 0.00062-0.314 mg/L; 96 h (CAS no 52645-53-1)				
	Aquatic Invertebrate - Daphnia Magna (fresh water)	EC50 0.000039-0.0072 mg/L; 48 h (CAS no 52645-53-1)				
	Green Algea - Skeletonema costatum - Growth inhibition	EC50 0.068 mg/L; 96 h (CAS no 52645-53-1)				
	Bee	LD50 0.00019 mg/Bee-Abeille (CAS no 52645-53-1)				
	Aquatic Invertebrate - Crustaceans, Mysidopsis bahia EC50 2 mg/L; 48 h (CAS no 64741-65-7)					
	Fish - Pimephales promelas [semi-static] LC50 2.2 mg/L; 96 h (CAS no 64742-47-8)					
	Aquatic Invertebrate - Daphnia magna EC50 3-10 mg/L; 48 h (CAS no 64742-47-8)					
	Green Algea - Selenastrum capricornutum - Growth inhibition EC50 >1000 mg/L; 72 h (CAS no 64742-47-8)					
Persistence	Contains an or many ingredients that may be persiste	nt in the environment.				
Degradability	The product is a mixture of which some ingredients are readily biodegradable (> 60% in 28 days) while other ingredients are not readily biodegradable (<60% in 28 days).					
potential	The product is a mixture of which some ingredients have a low bioaccumulation potential (Log Kow of <3 and / or BCF <500) while other ingredients have some potential to bioaccumulate (Log Kow of >3 and / or BCF >500).					
Mobility in soil	The product is a mixture of which some ingredients evaporate very easily from the surface of the soil. Moreover, some ingredients have very high mobility in soil, while other ingredients have moderate mobility in soil.					
Other adverse effects	Toxic to aquatic organisms, birds, bees and beneficial insects. This chemical does not deplete the ozone layer.					

13. Disposal considerations



Container Important! Prevent waste generation. Use in full. DO NOT dispose residue in sewers, streams or drinking water supply. DO NOT pierce, cut, heat, or burn the container, even after use. Depressurize empty container (empty it of its propellant). Dispose via a licensed waste disposal contractor. Observe all federal, state/provincial and municipal regulations. If necessary consult the Department of Environment or the relevant authorities.

14. Transport in	formation
UN Number	UN 1950
UN Proper Shipping Name	AEROSOLS, FLAMMABLE
Environmental hazards	
user	Permit required for transportation with proper DANGER placards displayed on vehicle. Exemption available: LTD QTY according to TDG Canada - art. 1.17; Mode of transportation: rail, sea and road, applicable for Canadian domestic shipments. Quantitative limits: applicable for aerosol cans containing =< 1L each.
TDG - Transportation of	Dangerous Goods (Canada & US DOT)

Transport	hazard
class(es)	



Class 2.1

Packing group	
2020 Emergency	126
Response Guidebook	

IMO/IMDG - International Maritime Transport

Classification UN 1950. AEROSOLS, FLAMMABLE. Class 2.1 Emergency schedules (EmS-No) F-D, S-U

IATA - International Air Transport Association

Classification UN 1950. AEROSOLS, FLAMMABLE. Class 2.1

These transportation classifications are provided as a customer service. As the shipper YOU remain responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. In addition, if a domestic exemption exists, it is the responsibility of the shipper to define the application of it.

15. Regulatory information

PEST CONTROL PRODUCT

There are Canada-specific environmental requirements for handling, use and disposal of this pest control product that are indicated on the product label.

RHazardous Products Regulations Information:

This product has been classified in accordance with the amended Hazardous Products Act (HPA) and the Hazard Criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

Hazardous Products Act Information:

Pest control products, as defined in subsection 2(1) of the Pest Control Products Act (PCPA), are excluded from the application of the Hazardous Products Act (that is, pest control products are exempt from the supplier labelling and SDS requirements of the Hazardous Products Act and Regulations). This product has been voluntarily classified according to the WHMIS 2015 standard.

Pest Control Products Act Registration Number: 31900

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act (PCPA). These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. Following is the hazard information required on the pest control products label:

PCPA Label Hazard Communications:

PRESSURIZED. CAUTION EXPLOSIVE. READ THE LABEL BEFORE USING. KEEP OUT OF REACH OF CHILDREN.

Difference between SDS and pesticide label

	1
PCPA Label	WHMIS 2015/SGH SDS

Symbol(s)		Pictogram(s)	
Caution word	Caution Explosive	Signal Word	DANGER
Hazard Statement	PRESSURIZED.	Hazard Statement	H222: Extremely flammable aerosol H229: Contains gas under pressure; may explode if heated H304: May be fatal if swallowed and enters airways H317: May cause an allergic skin reaction

CANADA

Common name	CAS	CEPA	DSL	NDSL	NPRI	
Isobutane	75-28-5	X	X		X	
Naphtha (petroleum), heavy alkylate	64741-65-7	Х	Х		X	
Propane	74-98-6	X	Χ		Х	
Distillates (Petroleum), hydrotreated light	64742-47-8	Χ	Χ		Х	
Permethrin	52645-53-1					
Rosemary Oil	84604-14-8					

- CEPA: List of Toxic Substances Managed Under Canadian Environmental Protection Act
- DSL: Domestic Substances List Inventory
- NDSL: Non-Domestic Substances List Inventory
- NPRI: National Pollutant Release Inventory Substances

UNITED STATE OF AMERICA

Common name	CAS	TSCA	CER CLA	EPCRA 313	EPCRA 302/304	CAA 112(b) HON	CAA 112(b) HAP	CAA 112(r)	CWA 311	CWA Prio.
Isobutane	75-28-5	X						X		
Naphtha (petroleum), heavy alkylate	64741-65-7	Х								
Propane	74-98-6	X						X		
Distillates (Petroleum), hydrotreated light	64742-47-8	X								
Permethrin	52645-53-1			X						
Rosemary Oil	84604-14-8									

- TSCA: Toxic Substance Control Act
- CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act list of hazardous substances
- EPCRA 313: Emergency Planning and Community Right-to-Know Act, Section 313 Toxic Chemicals
- EPCRA 302/304: Emergency Planning and Community Right-to-Know Act, Section 302/304 Extremely Hazardous Substances
- CAA 112(b) HON: Clean Air Act Hazardous Organic National Emission Standard for Hazardous Air Pollutant

- CAA 112(b) HAP: Clean Air Act - Hazardous Air Pollutants lists pollutants
- CAA 112(r): Clean Air Act - Regulated Chemicals for Accidental Release Prevention
- CWA 311: Clean Water Act - List of Hazardous Substances
- CWA Priority: Clean Water Act - Priority Pollutant list

California Proposition 65No ingredients listed.

Other regulations

NFPA Code 30B: Level 1

HMIS

NFPA

Health

Flamability

Reactivity

Protective Equipment

Date (YYYY-MM-DD)	Premier Tech Home & Garden Inc 2021-10-06						
Version	01						
Other information	REFERENCES: - Haz-Map, Information on Hazardous Chemicals and Occupational Diseases, https://haz-map.com/ - Service du répertoire toxicologique de la Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST), https://www.cnesst.gouv.qc.ca/fr - The National Center for Biotechnology Information, National Institutes of Health (NIH), U.S. National Library of Medicine, https://pubchem.ncbi.nlm.nih.gov - ECOTOX Knowledgebase, US EPA, https://cfpub.epa.gov/ecotox/search.cfm - SAgE Pesticides, CRAAQ, Effets toxiques des matières actives, https://www.sagepesticides.qc.ca/Recherche/RechercheMatiere ACGIH: American Conference of Governmental Industrial Hygienists AIHA: American Industrial Hygiene Association HMIS: Hazardous Materials Identification System NFPA: National Fire Protection Association OSHA: Occupational Safety and Health Administration (USA) NIOSH: National Institute for Occupational Safety and Health NTP: National Toxicology Program RSST: Règlement sur la santé et la sécurité du travail (Québec) GHS: Globally Harmonized System IARC: International Agency for Research on Cancer IDLH: Immediately Dangerous to Life or Health STEL: Short Term Exposure Limit (15 min)						



To the best of our knowledge, the information contained herein is accurate. However, neither Preventis System, nor the above named supplier, nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.